

# NATIONAL INSTITUTE OF AYURVEDA

Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 1 POST OF  
ASSISTANT PROFESSOR (Rog Nidan & Vikriti Vigyan)

SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 100
1	10001	42.5
2	10002	24.5
3	10003	30
4	10005	42
5	10006	40
6	10007	19.5
7	10008	36.5
8	10009	-7.5
9	10010	23.5
10	10011	27
11	10012	53.5
12	10013	26.5
13	10014	34.5
14	10015	44
15	10016	36.5
16	10018	25.5
17	10019	31
18	10020	48.5
19	10021	21.5
20	10023	32.5
21	10024	43
22	10027	32
23	10028	17.5
24	10029	36.5
25	10030	42
26	10032	48.5
27	10035	33
28	10036	32
29	10037	17.5
30	10039	31

31	10040	52.5
32	10041	30
33	10043	15.5
34	10044	61
35	10045	39.5
36	10048	42
37	10050	27.5
38	10051	54
39	10052	40.5

h

~~h~~ → h


# NATIONAL INSTITUTE OF AYURVEDA

Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 1 POST OF  
CLINICAL REGISTRAR (Kayachikitsa)

SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 99
1	20001	63
2	20002	25.5
3	20003	34
4	20004	16.5
5	20005	-1.5
6	20006	37.5
7	20007	42.5
8	20008	43.5
9	20010	39.5
10	20011	44.5
11	20012	35.5





# NATIONAL INSTITUTE OF AYURVEDA

Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 1 POST OF  
JUNIOR MEDICAL LABORATORY TECHNOLOGIST

SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 97
1	30001	15
2	30002	9.5
3	30003	17
4	30004	5.5
5	30005	7.5
6	30007	27.5
7	30010	26
8	30011	-4
9	30012	2.5
10	30013	41.5
11	30014	12.5
12	30015	26
13	30016	0
14	30017	11
15	30018	25
16	30019	29.5
17	30021	-2
18	30022	28
19	30023	14
20	30024	32.5
21	30025	31
22	30026	57.5
23	30027	4.5
24	30028	3
25	30029	29

*h*

*[Signature]*

*[Signature]*

# NATIONAL INSTITUTE OF AYURVEDA


Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 1 POST OF  
MEDICAL LABORATORY TECHNOLOGIST

SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 97
1	40001	26.5
2	40002	19
3	40003	20.5
4	40004	31.5
5	40005	15
6	40007	12
7	40009	34
8	40010	45
9	40012	40
10	40013	23
11	40014	21.5
12	40015	12.5
13	40017	64
14	40018	27.5
15	40019	7
16	40021	31.5
17	40023	32.5
18	40024	21.5
19	40025	20.5
20	40026	34
21	40027	40.5
22	40028	13
23	40030	15.5

h





# NATIONAL INSTITUTE OF AYURVEDA

Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 16 POST OF  
MULTI-TASKING STAFF (MTS)


SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 99
1	50001	62
2	50002	-9
3	50003	16.5
4	50004	5
5	50005	23
6	50006	16.5
7	50007	39.5
8	50009	21
9	50010	-0.5
10	50011	8.5
11	50012	-5.5
12	50013	54.5
13	50014	-6
14	50015	16
15	50016	63.5
16	50017	0
17	50018	2
18	50019	4
19	50021	36
20	50022	21.5
21	50023	17
22	50024	37.5
23	50025	21
24	50027	36
25	50028	51
26	50029	-3
27	50030	21.5
28	50031	40
29	50034	8
30	50035	-5.5

*h*

*Shy*

*16*


31	50036	1.5
32	50038	43.5
33	50039	19.5
34	50040	-7
35	50042	4
36	50043	4.5
37	50044	49
38	50045	13.5
39	50046	31.5
40	50047	7
41	50048	0
42	50049	42
43	50050	33.5
44	50051	4
45	50054	-12
46	50055	31
47	50056	59
48	50057	-2
49	50058	44.5
50	50059	11
51	50060	21.5
52	50061	38.5
53	50062	33.5
54	50063	51.5
55	50064	67.5
56	50065	7
57	50066	27.5
58	50067	16.5
59	50068	40
60	50069	46.5
61	50070	0
62	50071	49.5
63	50072	65
64	50074	27.5
65	50075	54.5
66	50076	20.5
67	50077	53.5
68	50078	55.5
69	50079	58
70	50080	22.5
71	50081	56.5



72	50082	20
73	50083	25.5
74	50084	1.5
75	50085	60
76	50086	71.5
77	50087	41
78	50088	24
79	50090	10.5
80	50091	22
81	50092	63
82	50093	12
83	50094	1
84	50095	33.5
85	50096	10
86	50097	14
87	50098	55.5
88	50101	44
89	50102	37
90	50103	33.5
91	50106	10
92	50109	21
93	50110	11
94	50112	8.5
95	50114	27
96	50115	35.5
97	50116	12.5
98	50117	49.5
99	50118	30.5
100	50119	19
101	50120	5
102	50121	13
103	50123	73.5
104	50124	28.5
105	50125	-3
106	50126	74.5
107	50129	50
108	50130	53.5
109	50131	54
110	50132	15.5
111	50133	46.5
112	50134	-4

h







113	50135	0.5
114	50136	-6
115	50138	-1
116	50139	14.5
117	50140	26.5
118	50141	-12
119	50143	11
120	50144	39.5
121	50145	19
122	50146	39
123	50147	33
124	50148	55
125	50149	72
126	50150	23.5
127	50151	19.5
128	50152	9.5
129	50153	22
130	50154	17.5
131	50155	75.5
132	50156	-7
133	50157	2
134	50158	60.5
135	50159	44
136	50160	5.5
137	50163	28
138	50164	33
139	50166	41.5
140	50167	28
141	50168	54
142	50169	15
143	50170	28.5
144	50171	-13.5
145	50172	45
146	50173	23.5
147	50175	66
148	50178	32.5
149	50179	42
150	50181	62.5
151	50182	7.5
152	50183	14.5
153	50184	14.5

h

154	50185	60
155	50186	52.5
156	50187	53.5
157	50188	57
158	50189	10.5
159	50191	37
160	50192	38.5
161	50193	13
162	50194	-7.5
163	50196	-1.5
164	50197	23
165	50198	75
166	50199	42.5
167	50200	54.5
168	50201	68
169	50202	5
170	50205	38
171	50206	12.5
172	50207	51.5
173	50208	22.5
174	50209	29.5
175	50211	52
176	50212	22
177	50213	49.5
178	50214	1.5
179	50216	-2.5
180	50217	13
181	50218	32
182	50219	66.5
183	50220	45.5
184	50221	-4
185	50223	66
186	50224	50
187	50225	31.5
188	50226	56
189	50227	69.5
190	50228	33.5
191	50230	15
192	50231	40.5
193	50232	21.5
194	50233	27

h


AM

hw

195	50235	28.5
196	50237	27
197	50238	13
198	50240	22
199	50241	28
200	50242	53.5
201	50243	49.5
202	50244	-3
203	50245	19
204	50246	-1.5
205	50247	44
206	50250	33
207	50251	34
208	50252	3
209	50255	4
210	50256	25
211	50257	19
212	50259	4.5
213	50260	12.5
214	50261	22
215	50262	16.5
216	50263	-9
217	50265	14
218	50266	37.5
219	50267	15.5
220	50268	16
221	50269	3
222	50270	3
223	50271	31
224	50272	40
225	50273	49
226	50274	11
227	50275	54
228	50277	4.5
229	50278	-3.5
230	50279	32
231	50280	-9
232	50281	11.5
233	50282	8.5
234	50283	74
235	50284	53.5

h





236	50286	10.5
237	50287	25.5
238	50288	52
239	50289	50.5
240	50291	17
241	50294	47.5
242	50295	15
243	50296	3.5
244	50297	-4
245	50298	-9
246	50300	38
247	50302	8.5
248	50303	11
249	50306	44
250	50307	46
251	50308	10.5
252	50309	23.5
253	50310	56.5
254	50311	12.5
255	50312	1
256	50313	32.5
257	50314	7.5
258	50315	27
259	50316	52
260	50318	54.5
261	50319	25.5
262	50320	22
263	50323	52.5
264	50324	9
265	50326	10
266	50327	65
267	50328	23
268	50329	0
269	50330	-2
270	50331	-7.5
271	50332	35.5
272	50333	58.5
273	50334	18.5
274	50335	14.5
275	50336	38
276	50337	58.5

✓





277	50338	8
278	50339	30.5
279	50340	35
280	50341	31.5
281	50342	8
282	50343	59
283	50345	0.5
284	50346	10.5
285	50347	42.5
286	50348	4
287	50349	19
288	50351	45
289	50352	46.5
290	50354	56
291	50355	52
292	50356	36.5
293	50357	52.5
294	50358	36
295	50359	2
296	50360	43.5
297	50361	-8.5
298	50364	21.5
299	50365	28
300	50366	0
301	50367	34
302	50368	15.5
303	50369	73.5
304	50370	25
305	50371	6.5
306	50372	23
307	50373	5.5
308	50374	-9
309	50375	39.5
310	50376	66.5
311	50377	11.5
312	50378	4
313	50379	55
314	50380	33.5
315	50381	7
316	50383	65.5
317	50385	70.5

L

318	50386	16
319	50387	25.5
320	50388	17
321	50389	23.5
322	50390	65
323	50391	67
324	50392	22.5
325	50393	22.5
326	50395	-14.5
327	50396	-16
328	50397	27
329	50398	51
330	50399	62
331	50402	37.5
332	50403	63.5
333	50405	31
334	50406	12
335	50407	32
336	50408	6.5
337	50409	34.5
338	50411	60
339	50412	56.5
340	50413	49
341	50414	16.5
342	50415	-3
343	50416	51.5
344	50417	13.5
345	50419	34.5
346	50420	16.5
347	50422	18
348	50423	10
349	50424	28.5
350	50425	14
351	50426	3
352	50427	28.5
353	50431	24
354	50432	44.5
355	50433	44
356	50434	57.5
357	50435	50
358	50436	23.5

h



1hr

359	50437	0
360	50439	8.5
361	50440	29.5
362	50441	46
363	50442	23
364	50443	49
365	50445	66
366	50446	-3
367	50447	56.5
368	50448	22.5
369	50449	2
370	50450	-7.5
371	50451	46.5
372	50452	44
373	50453	17.5
374	50456	47
375	50457	36.5
376	50458	-15
377	50459	16.5
378	50460	68.5
379	50461	58.5
380	50463	21.5
381	50464	24
382	50465	24
383	50466	15
384	50469	40
385	50470	34
386	50472	58.5
387	50473	14
388	50475	17.5
389	50476	22.5
390	50477	14
391	50478	39
392	50479	22.5
393	50480	29.5
394	50482	7.5
395	50483	64.5
396	50484	19.5
397	50485	54
398	50486	12.5
399	50487	19.5

L

*[Handwritten signature]*

*[Handwritten signature]*

400	50488	14
401	50489	35.5
402	50490	5.5
403	50491	10
404	50492	-1
405	50493	26.5
406	50494	28.5
407	50495	12.5
408	50496	50.5
409	50497	0
410	50498	30.5
411	50499	49
412	50500	16.5
413	50501	40.5
414	50502	30
415	50503	-1
416	50504	62.5
417	50505	-8
418	50507	-11
419	50508	44
420	50509	64
421	50510	11
422	50511	-1
423	50512	32.5
424	50514	12
425	50515	42
426	50516	29.5
427	50517	13
428	50518	-14
429	50519	11.5
430	50520	35.5
431	50521	18
432	50524	23
433	50528	25.5
434	50529	32
435	50530	3.5
436	50531	2
437	50532	10
438	50533	46.5
439	50534	-4
440	50536	-3.5

h



441	50537	61.5
442	50539	75
443	50540	21.5
444	50541	11
445	50543	27
446	50544	-5
447	50545	55
448	50546	15.5
449	50547	11.5
450	50548	64
451	50549	33.5
452	50550	58
453	50551	6.5
454	50553	55
455	50557	10.5
456	50558	18
457	50559	11.5
458	50563	-15
459	50564	67.5
460	50566	-2
461	50568	56
462	50569	29.5
463	50570	21.5
464	50572	31.5
465	50573	19.5
466	50574	30.5
467	50575	75
468	50576	33.5
469	50579	39.5
470	50581	26.5
471	50584	40.5
472	50585	20.5
473	50586	-10
474	50587	64
475	50588	-6
476	50589	42.5
477	50590	44.5
478	50591	8.5
479	50592	41.5
480	50593	-3.5
481	50594	30

L

482	50595	34.5
483	50596	7
484	50597	54.5
485	50598	0
486	50599	50
487	50600	6
488	50601	-3.5
489	50602	53
490	50603	3.5
491	50604	17
492	50606	-10.5
493	50607	16
494	50608	1
495	50609	51.5
496	50611	5
497	50612	6
498	50613	-10
499	50614	19.5
500	50616	29.5
501	50618	38
502	50619	45.5
503	50620	23.5
504	50621	34.5
505	50622	44
506	50623	16
507	50626	13.5
508	50629	25
509	50630	66
510	50632	24
511	50633	-9
512	50635	18
513	50636	28.5
514	50638	37
515	50639	-3
516	50640	30
517	50641	2.5
518	50642	37
519	50643	34.5
520	50644	31.5
521	50645	81
522	50646	38

H

By

the

523	50647	46
524	50649	24
525	50651	17.5
526	50652	-6
527	50653	19
528	50654	6
529	50655	3.5
530	50656	11.5
531	50657	42
532	50658	6
533	50660	47.5
534	50661	47
535	50662	47
536	50663	8
537	50667	70.5
538	50668	33.5
539	50669	30.5
540	50670	56.5
541	50671	7
542	50672	-3.5
543	50673	40
544	50674	6.5
545	50676	-7
546	50677	56
547	50678	43
548	50679	1.5
549	50680	20
550	50681	8
551	50682	28
552	50683	29
553	50685	57.5
554	50686	3
555	50687	27.5
556	50688	17
557	50689	30
558	50691	56
559	50692	60.5
560	50693	2
561	50695	3.5
562	50696	39.5
563	50697	25

*h* *My* *hu*

564	50698	66
565	50699	35.5
566	50700	6.5
567	50702	32
568	50703	18
569	50704	16.5
570	50706	9.5
571	50707	-18
572	50708	6
573	50709	35.5
574	50710	33
575	50712	46.5
576	50713	65.5
577	50714	29
578	50715	1.5
579	50716	-3
580	50717	-2
581	50718	23
582	50721	75
583	50722	28.5
584	50723	17
585	50724	-13
586	50725	3
587	50726	-1.5
588	50727	25.5
589	50728	6.5
590	50729	28
591	50731	64.5
592	50732	27.5
593	50733	42.5
594	50734	12
595	50735	13
596	50736	21.5
597	50738	49
598	50739	56.5
599	50741	1
600	50742	56.5
601	50744	-14
602	50745	19.5
603	50746	23.5
604	50747	36.5

h


h

h

605	50748	-3.5
606	50750	-19
607	50751	18.5
608	50752	40
609	50756	4.5
610	50757	42
611	50758	58.5
612	50760	14
613	50761	18
614	50764	24
615	50765	56.5
616	50766	37
617	50767	64.5
618	50768	22.5
619	50769	15
620	50770	7
621	50771	0.5
622	50773	17
623	50775	1.5
624	50776	20
625	50777	1.5
626	50778	7.5
627	50779	47
628	50780	20.5
629	50783	15.5
630	50785	12
631	50786	7.5
632	50787	3
633	50789	43
634	50790	8.5
635	50791	15.5
636	50792	-2.5
637	50793	56
638	50794	39.5
639	50795	1.5
640	50796	58
641	50797	15
642	50798	36.5
643	50799	18
644	50800	49
645	50801	-2

T





646	50802	5
647	50803	-6.5
648	50804	21
649	50806	40
650	50807	45.5
651	50809	33.5
652	50813	47.5
653	50815	-7.5
654	50816	10.5
655	50817	6.5
656	50818	-18
657	50819	-19
658	50821	9
659	50822	24
660	50824	30
661	50825	43
662	50827	40.5
663	50828	4
664	50830	20
665	50831	19
666	50834	-7
667	50835	0.5
668	50839	33.5
669	50840	44.5
670	50843	49
671	50844	-8.5
672	50846	29.5
673	50848	-2.5
674	50849	9.5
675	50850	26.5
676	50851	20
677	50852	31
678	50853	35
679	50854	10.5
680	50855	9
681	50857	-8
682	50859	-4.5
683	50860	-6
684	50862	4.5
685	50863	34

h

h

h

# NATIONAL INSTITUTE OF AYURVEDA

Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 1 POST OF  
NURSING OFFICER

SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 100
1	60001	-2
2	60002	33
3	60003	24
4	60004	14.5
5	60006	24.5
6	60007	16
7	60008	16
8	60009	26.5
9	60011	46
10	60012	33.5
11	60013	-7
12	60014	25
13	60015	4
14	60020	19.5
15	60021	9.5
16	60023	0.5
17	60024	4.5
18	60025	14.5
19	60026	44.5
20	60027	1
21	60028	24
22	60029	22
23	60030	34.5
24	60031	37
25	60032	18
26	60033	-10
27	60035	24.5

*h*

*[Signature]*

*[Signature]*

28	60036	27
29	60037	33
30	60038	25.5
31	60040	26
32	60041	32
33	60043	-0.5
34	60044	25.5
35	60045	21
36	60046	25
37	60047	37
38	60048	26.5
39	60050	16
40	60051	26.5
41	60053	40.5
42	60055	34
43	60056	11
44	60057	35
45	60058	27
46	60059	20
47	60060	29.5
48	60061	35.5
49	60063	37
50	60064	21.5
51	60065	34.5
52	60066	40.5
53	60067	25.5
54	60068	21
55	60069	25
56	60070	14.5
57	60071	28
58	60073	17
59	60074	-2
60	60075	21.5
61	60076	13
62	60077	6
63	60078	26
64	60079	36
65	60080	27
66	60081	5
67	60082	28.5
68	60083	27

L

 lho



69	60084	17.5
70	60085	37.5
71	60086	26.5
72	60087	23.5
73	60088	8.5
74	60089	2.5
75	60090	24
76	60091	23
77	60092	26.5
78	60093	40
79	60094	3
80	60095	14.5
81	60096	27.5
82	60098	29.5
83	60099	49.5
84	60100	22
85	60101	44
86	60102	30.5
87	60104	33.5
88	60105	38
89	60106	11
90	60107	30.5
91	60108	19
92	60110	36.5
93	60111	39
94	60112	30
95	60113	11
96	60114	39.5
97	60115	17
98	60116	35
99	60118	25.5
100	60120	8.5
101	60121	18
102	60122	-0.5
103	60124	25
104	60125	28.5
105	60126	25
106	60127	18
107	60128	21.5
108	60129	10
109	60130	23

h

Shy. llo

110	60131	40
111	60132	14
112	60133	26
113	60136	7
114	60137	18
115	60138	25.5
116	60140	11
117	60141	19
118	60144	35
119	60146	9.5
120	60147	32
121	60148	31.5
122	60149	27.5
123	60150	26
124	60151	32.5
125	60152	36
126	60154	4.5
127	60156	18.5

h      ~~Abn~~      the

# NATIONAL INSTITUTE OF AYURVEDA

Deemed To be University (De Novo)

RESULT OF SCREENING TEST HELD ON 29-01-2023 FOR 1 POST OF  
PHARMACIST (AYURVEDA)

SR. NO.	ROLL NO	TOTAL MARKS OBTAINED OUT OF 98
1	70001	33.5
2	70002	2.5
3	70003	31
4	70004	48
5	70005	-10
6	70006	9.5
7	70007	-5.5
8	70008	-18.5
9	70009	21
10	70010	13.5
11	70011	44.5
12	70012	3.5
13	70013	40
14	70014	51
15	70015	-7
16	70016	37
17	70017	16.5
18	70018	9.5
19	70019	0.5
20	70020	45
21	70021	38.5
22	70022	-9.5
23	70023	-12.5
24	70024	13
25	70026	25
26	70027	50
27	70028	15
28	70029	33
29	70030	1
30	70031	5.5

31	70032	26
32	70033	16
33	70034	-13.5
34	70035	-1.5
35	70036	6.5
36	70037	14
37	70040	3.5
38	70042	-11
39	70043	13.5
40	70044	26.5
41	70045	-8.5
42	70047	12.5
43	70048	5.5
44	70049	45
45	70051	23
46	70052	4.5
47	70053	-1.5
48	70054	26
49	70055	40
50	70056	-2
51	70057	14.5
52	70058	24
53	70059	33.5
54	70060	24
55	70061	21
56	70062	1.5
57	70063	22
58	70064	11
59	70065	22
60	70066	-8
61	70067	25
62	70068	5.5
63	70069	-2.5
64	70070	-2
65	70071	19.5
66	70072	37.5
67	70074	-12.5
68	70075	-1.5
69	70076	15
70	70077	19
71	70080	5

h

*[Handwritten signature]*

*[Handwritten signature]*

72	70081	51
73	70082	30
74	70084	36
75	70085	28.5
76	70086	25.5
77	70087	14
78	70088	40.5
79	70089	17
80	70090	31.5
81	70091	12.5
82	70092	27.5
83	70094	-1
84	70095	-9.5

h

*[Handwritten signature]* *[Handwritten signature]*